

SUPPORTING ELEMENT - H PROFILE

SCREW M5 WITH EXPANDING HEAD

SELF DRILLING SCREW 5,6 x 19 mm

RHS 30x30

THERMAL INSULATION

THERMAL INSULATION ANCHOR

DIFFUSION FOIL

THERMO-INSULATION PAD

ANCHOR

FIXING BRACKET

SELF DRILLING SCREW 4,2x19 mm

VERTICAL AL L PROFILE 45x45 mm

SUPPORTING ELEMENT - H PROFILE

SCREW M5 WITH EXPANDING HEAD

SELF DRILLING SCREW 5,6 x 19 mm

RHS 30x30

CONTINUOUS L PROFILE 45x45 mm

PERMANENTLY ELASTIC ADHESIVE


GFRC, thickness 12 mm


AL. U PROFILE


SILICONE


10


10











SUPPORTING ELEMENT - H PROFIL

SCREW WITH EXPANDING HEAD

SELF DRILLING SCREW 5,6 x 19 mm

RHS 30x30

THERMAL INSULATION

THERMAL INSULATION ANCHOR

DIFFUSION FOIL

THERMO-INSULATION PAD

ANCHOR

FIXING BRACKET

SELF DRILLING SCREW 4,2x19 mm

VERTICAL AL L PROFIL 45x45 mm

GFRC, thickness 12 mm

THERMAL INSULATION - XPS

SUPPORTING ELEMENT - H PROFIL

SCREW WITH EXPANDING HEAD

SELF DRILLING SCREW 5,6 x 19 mm

RHS 30x30

TERRAIN

30

70

300

